ELSEVIER

Volume 237, Numbers 1–2, September 1995

Inorganica Chimica Acta

Contents

Preliminary Communication

A dodeca nuclear cyclic molybdenum cluster. Preparation and X-ray structure of $[\{(Mo_3(\mu_3\text{-}O)(\mu\text{-}O)_3(H_2O)_5)(\mu\text{-}OH)_2\}_4](CH_3C_6H_4SO_3)_8 \cdot 41H_2O$ 1
T. Shibahara, M. Sasaki, G. Sakane (Okayama, Japan)

Articles

Stereochemistry of aquo(5,10,15,20-tetraphenylporphinato)zinc(II) as its 18-crown-6, methylene chloride solvate 5
B. Cheng, W.R. Scheidt (Notre Dame, IN, USA)

^1H NMR study of monomeric chloro-rhenium(III) complexes with triarylphosphines and nitriles 13
C. Pearson, A.L. Beauchamp (Montreal, Que., Canada)

Unligated dirhodium tetra(trifluoroacetate): preparation, crystal structure and electronic structure 19
F.A. Cotton, E.V. Dikarev, X. Feng (College Station, TX, USA)

Reactivity of carbon suboxide toward As and P stabilized ylides. Crystal and molecular structure of $CH_2\{C(=O)\text{-}[C(=AsPh_3)(COOMe)]\}_2$ 27
L. Pandolfo, R. Bertani, G. Facchin, L. Zanotto (Padua, Italy), P. Ganis (Naples, Italy), G. Valle, R. Seraglia (Padua, Italy)

The synthesis and X-ray structure of *trans*-$[CrCl_2(nPrNH_2)_4]BF_4 \cdot H_2O$ and the thermal and Hg^{2+}-assisted chloride release kinetics from some *trans*-$[CrCl_2(N)_4]^+$ complexes 37
D.A. House, J. Wang, M. Nieuwenhuyzen (Christchurch, New Zealand)

Syntheses, characterization, structure and redox behavior of *cis*-$[Ru(NO)X(bpy)(py)_2]^z$ (X = monodentate) type complexes of nitrosylruthenium(II) and their related complexes 47
D. Ooyama, Y. Miura, Y. Kanazawa (Kitanaka), F.S. Howell, N. Nagao, M. Mukaida (Tokyo, Japan), H. Nagao, K. Tanaka (Aichi, Japan)

Easy synthesis of 'half-units': their use as ligands or as precursors of non-symmetrical Schiff base complexes 57
J.-P. Costes (Toulouse, France), M.I. Fernandez-Garcia (Lugo, Spain)

Catalytic reactions of formate
4. A nitrite-promoted rhodium(III) catalyst for hydrogen generation from formic acid in aqueous solution 65
R.B. King, N.K. Bhattacharyya (Athens, GA, USA)

Synthesis of *trans*-bis(glycinehydroxamato)platinum(II) hydrate and *trans*-dichlorobis(glycylglycine)platinum(II) dihydrate and the crystal and molecular structures of *trans*-dichlorobis(glycine)platinum(II) dihydrate and *trans,trans*-dichlorobis(glycinato)platinum(IV), hydrolysis products formed in reactions of the former complexes 71
H.O. Davies, D.A. Brown (Dublin, Ireland), A.I. Yanovsky (Moscow, Russia), K.B. Nolan (Dublin, Ireland)

Terminal and bridged diphenyl phosphido complexes derived from niobocene and Group 6 metal carbonyls (Cr, Mo, W). Structures of $Cp_2Nb(L)(\mu\text{-}PPh_2)Cr(CO)_5,S$ (L = CO, S = CH_3COCH_3; L = $P(OMe)_3$, S = $C_6H_5CH_3$) 79
P. Oudet, D. Perrey, G. Bonnet, C. Moïse, M.M. Kubicki (Dijon, France)

Polymeric [{*cyclo*{bis-$\mu_3(\eta^2\text{-}S,\eta^1\text{-}N)$-(1,3-thiazolidine-2-thionato)-bis-$\mu_4(\eta^3\text{-}S,\eta^1\text{-}N)$-(1,3-thiazolidine-2-thionato) tetra-copper(I)}monotoluene solvate]: electrochemical synthesis, characterisation and crystal structure at 160 K 87
E.S. Raper, J.R. Creighton, W. Clegg (Newcastle upon Tyne, UK)

Hybridization effects on the spectra and structure of solvatochromic copper(II) chelates containing β-diones and nitrogenous bases 93
C. Tsiamis, C. Youri-Tsochatzi (Thessaloniki, Greece), A. Hatzidimitriou, A. Gourdon (Toulouse, France)

Elsevier Science S.A.

IR studies and hydrogenation catalytic activity of heterogeneous catalysts prepared by thermal treatments of a face-bridged triruthenium carbonyl cluster supported on silica and alumina 103
J.A. Cabeza, J.M. Fernández-Colinas (Oviedo, Spain), A. Choplin, A. Theolier (Villeurbanne, France)

Synthesis, spectroscopic studies and crystal structure of cadmium nitrosylpentacyanomanganate(I) pentadecahydrate 111
D.F. Mullica, P.K. Hayward, E.L. Sappenfield (Waco, TX, USA)

Mechanism of an oxygen atom transfer reaction involving an oxo-bridged Mo(V) complex 117
D.M. Baird, C. Aburri, L.S. Barron, S.A. Rodriguez (Boca Raton, FL, USA)

Polymeric 1,7-dithenylidene-1,4,7-triazaheptane copper(II) chloride with extended linear structure 123
P.C. Christidis, C.A. Bolos (Thessaloniki, Greece), G.St. Nikolov (Plovdiv, Bulgaria and Sofia, Bulgaria)

A new asymmetric N_3O_2-donor binucleating ligand and its first $Fe^{II}Fe^{III}$ complex as a model for the redox properties of uteroferrin 131
A. Neves, M.A. de Brito, V. Drago (Florianópolis, SC, Brazil), K. Griesar, W. Haase (Darmstadt, Germany)

Transition metal complexes with sulfur ligands
CXI. Skeletal rearrangement of 2,3-dibromo-1-propanol in the template alkylation of $[Ni('S_2C_6H_4')]^{2-}$ ($'S_2C_6H_4'^{2-}$ = 1,2-benzenedithiolate(2−)). Syntheses of [M('S_4-C_3OH')] complexes (M = Ni^{II}, Pt^{II}; 'S_4-$C_3OH'^{2-}$ = 1,3-bis(2-mercaptophenylthio)-2-propanol(2−)) 137
D. Sellmann, P. Bail, F. Knoch, M. Moll (Erlangen, Germany)

Synthesis and crystal structure of μ_4-oxo-hexa-(μ_2-(*N*,*S*)-1-methylimidazoline-2-thionato)-tetrazinc(II) 143
R. Castro, J.A. García-Vázquez, J. Romero, A. Sousa (Santiago de Compostela, Spain), Y.D. Chang, J. Zubieta (Syracuse, NY, USA)

Notes

Stability constant variations of the divalent metal complexes of four bibracchial lariat ethers 147
S.F. Lincoln, J. Lucas, T. Rodopoulos (Adelaide, SA, Australia)

The favored uns-*cis* geometry in octahedral nickel(II) complexes containing linear tetradentate edda-type ligands forming six-membered rings. Crystal structure of uns-*cis*-[Ni(1,3-pdda)(H_2O)$_2$] 151
D.J. Radanović, V.Č. Matović, Z.D. Matović (Kragujevac, Yugoslavia), L.P. Battaglia, G. Pelizzi (Parma, Italy), G. Ponticelli (Cagliari, Italy)

Remote shielding of the C≡N ligand for nuclear magnetic resonance of the Ru(bpy)$(CN)_4^{2-}$ and Ru(bpy)$_2$$(CN)_2$ complexes 159
M. Maruyama, H. Matsuzawa, Y. Kaizu (Tokyo, Japan)

Mercury(II) chloride adducts of flexible double betaines: influence of different quaternary ammonio side groups in the adipic acid skeleton 163
D.-D. Wu, T.C.W. Mak (Shatin, New Territories, Hong Kong)

Cyclophanes:metal:arene ternary compounds: synthesis, crystal structure and spectroscopic properties of Bi_2Br_6:[2,2]-paracyclophane:pyrene 169
L.P. Battaglia (Parma, Italy), M.R. Cramarossa (Modena, Italy and Padua, Italy), I.M. Vezzosi (Modena, Italy)

Oxidations with unstable manganese(VI) in acidic solution 173
É. Záhonyi-Budó, L.I. Simándi (Budapest, Hungary)

X-ray crystal structure of (2,2′-bipyridine)(6,7-dihydro-5*H*-1,4-dithiepin-2,3-dithiolate) platinum(II) 177
J.-L. Zuo, R.-G. Xiong, X.-Z. You (Nanjing, People's Republic of China), X. Huang (Fuzhou, People's Republic of China)

Preparation of the complexes $M^{II}L_2 \cdot 2CH_3OH$ (M = Co, Ni, Cu, Zn) of the bidentate ligand 2-(2′-hydroxy-3′-methylphenyl)-benzimidazole (HL) and the molecular structure of $Cu^{II}L_2 \cdot 2CH_3OH$ 181
J.D. Crane, R. Hughes, E. Sinn (Kingston-upon-Hull, UK)

Coordination properties of dialkyltin(IV) in aqueous solution. Thermodynamic study of dimethyltin(IV) complexes with L-amino acids 187
G. Arena, R. Calì, A. Contino, A. Musumeci, S. Musumeci, R. Purrello (Catania, Italy)

Syntheses and structures of the potassium-ammonium dioxocitratovanadate(V) and sodium oxocitratovanadate(IV) dimers 193
Z.-H. Zhou, H.-L. Wan, S.-Z. Hu, K.-R. Tsai (Xiamen, China)

An unusual bimetallic molybdenum carbonyl derivative containing a 22-membered ring: the synthesis and crystal structure of *cis*-[$Mo_2(CO)_8\{\mu$-$Ph_2P(CH_2)_8PPh_2\}_2$] 199
C.-H. Ueng, T.-T. Luo (Taipei, Taiwan)

Vanadate catalysed oxidation of 5-keto-D-gluconic acid to tartaric acid: the unexpected effect of phosphate and carbonate on rate and selectivity 203
I. Matzerath, W. Kläui (Düsseldorf, Germany), R. Klasen, H. Sahm (Jülich, Germany)

Copper(I) and gold(I) complexes with a phosphorus-sulfur ligand. X-ray structure of $AuCl[(C_6H_5)_2PCH_2CH_2SCH_3]$ 207
R. Turpin, A.M. Larsonneur, J. Jaud, P. Castan (Toulouse, France)

Conference Calendar 211

Author Index of Volume 237 215

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.